

VxRGB
LED LIGHTING

- This VxRGB LED candle lamp provides a warm candle-like glow that closely matches the spectrum of a real candle flame- a feature not possible with traditional LED or incandescent lamps.
- Super warm 1900K color temperature.
- Low heat LED lamp can be safely used in environments where candles are not practical.
- 25,000 hour lifetime reduces maintenance costs.
- Utilizes Mitsubishi Chemical proprietary VxRGB™ technology.
- Clear, slim globe and small heatsink design ideal for use in decorative lighting fixtures.



Order Code 52243

General Data

Lamp Socket E14
Design Lens

Geometric Data

Length (mm) 101
Diameter (mm) 38
Weight (g) 52

Electric Data

Wattage (W) 2.5
Wattage Equivalent (W) not applicable
Voltage (V) 220-240
Power Factor ≥ 0.40
Operating Frequency (Hz) 50-60

Photometric Data

Luminous Flux (lm) 50
CRI ≥ 85
CCT (K) 1900
Luminous Intensity (cd) 15
Beam Angle (°) 100

Lifespan


Lifetime (hrs) 25,000
Switching Cycle 20,000

Dimmability No

Energy Efficiency Class B



Ø 38.0mm





Order Code

52243

Product Description

VxRGB Natural Vision LED Candle E14 2.5W
1900K WW 50LM

Technical Packaging Details

Barcode	023942522430
EAN 128	(02)00023942522430(37)04(91)204
EAN 14	50023942522435
Pack Dimensions (HxWxL)	117 mm x 40 mm x 40 mm
Pack Weight	65
Carton Qty (Shipping Unit)	10
Carton Dimensions (HxWxL)	146 mm x 95 mm x 223 mm
Cartons/Pallet	198
Layers/Pallet	6
Units/Pallet	1980

Photometric Diagram

52243

